RECEIVED CENTRAL FAX CENTER

NOV 3 0 2006

DOCKET No. RUW-101

IN THE CLAIMS

- (Currently Amended) A composition <u>effective</u> for soothing traumatic conditions of the skin comprising:
 - a. molecularly distilled omega-3 fish oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight;
 - b. mixed tocopherols in an amount of up to about 20,000 IU;
 - c. lavender oil in an amount of up to about 1 mg;
 - d. about 120 ml of a pharmaceutically acceptable carrier,
 the composition being active against traumatic conditions of the skin.
- 2. (Cancelled)
- 3. (Original) The composition according to claim 1 wherein the pharmaceutically acceptable carrier is cocoa butter.
- 4. (Currently Amended) The composition according to claim 1 wherein
 - a. said molecularly distilled [3-]omega-3 fish oils are present in a total weight ranging from about 500 mg to about 2000 mg, said gammalinoleic acid is present in an amount ranging from about 15% to about 30% by weight, said eicosapentanoic acid from molecularly distilled fish eil is present in an amount ranging from about 30% to about 50% by weight, and said docosahexaenoic acid from molecularly distilled fish eil

DOCKET No. RUW-101

is present in an amount ranging from about 30% to about 50% by weight.

- b. said tocopherol is present in an amount between about 1000 IU and about 15000 IU;
- c. said lavender oil is present in an amount up to about 600 mcg;
- d. about 120 ml of pharmaceutically acceptable carrier.
- 5. (Currently Amended) The composition according to claim 1 wherein:
 - a. said molecularly distilled [3-]omega-3 fish oils are present in a total weight of about 1000 mg, said gamma-linoleic acid is present in an amount of about 20% by weight; said eicosapentanoic acid from molecularly distilled fish oil is present in an amount of about 40% by weight; said docosahexaenoic acid from molecularly distilled fish oil is present in an amount of about 40% by weight;
 - b. said tocopherol is present in an amount of about 5600 IU;
 - c. said lavender oil is present in an amount of about 300 mcg;
 - d. in about 120 ml of pharmaceutically acceptable carrier.
- 6. (Original) The composition according to claim 5 wherein the tocopherol is alpha-tocopheryl acetate and the pharmaceutically acceptable carrier is cocoa butter.
- (Currently Amended) A composition <u>effective</u> for soothing traumatic conditions of the skin comprising:
 - a. <u>molecularly distilled</u> omega-3 fish oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from

DOCKET No. RUW-101

molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight;

- b. mixed tocopherols in an amount of up to about 20,000 IU;
- c. lavender oil in an amount of up to about 1 mg;
- d. Sodium-PCA in an amount of up to about 1 g;
- e. about 120 ml of a pharmaceutically acceptable carrier, the composition being active against traumatic conditions of the skin.
- 8. (Original)The composition according to claim 7 wherein said Sodium PCA is present in an amount up to about 0.5 g.
- (Original) The composition according to claim 8 wherein said Sodium PCA is present in an amount of about 0.25 g.
- 10. (Currently Amended) A composition <u>effective</u> for soothing traumatic conditions of the skin comprising:
 - a. molecularly distilled omega-3 fish oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight;
 - b. mixed tocopherols in an amount of up to about 20,000 IU;
 - c. lavender oil in an amount of up to about 1 mg;
 - d. Methyl-Sulfonyl-Methane in an amount of about 6 g to about 18 g;
 - e. about 120 ml of a pharmaceutically acceptable carrier,

the composition being active against traumatic conditions of the skin.

DOCKET No. RUW-101

11. (Original) The composition according to claim 10 wherein the Methyl-Sulfonyl-Methane is present in an amount of about 9 g to about 15 g.

2006-11-30 22:31:40 (GMT)

- (Original) The composition according to claim 10 wherein the Methyl-Sulfonyl-Methane is present in an amount of about 12 g.
- 13. (Original) A topical composition according to claim 1, characterized in that it is active against radiation dermatitis.
- 14. (Original) A topical composition according to claim 1, characterized in that it is active against exposure-induced wrinkles.
- 15. (Original) A topical composition according to claim 1, characterized in that it is active against thermal burns.
- 16. (Original) A topical composition according to claim 1, characterized in that it is active against sunburn.
- (Original) The topical composition according to claim 1, characterized in that is active against dermatomyofibromas.

Claims 18 - 29 (Cancelled)